

論文全著者名. 論題. 雜誌名. 発行年; 卷 :始頁-終頁	雑誌名
Nagai H, Shimomura T, Takeuchi M, Hanada S, Komeno T, Sunami K, Hidaka M, Yano T, Kitano K, Yoshida I, Inoue N, Saito A, Horibe K, Motitani S, Ichihara S, Watanabe T, Sawamura M. Phase II study of intensified rituximab induction and maintenance for low grade B cell lymphoma. <i>Leuk Lymphoma</i> . 2017 Dec;58(12):2845-2851.	Leuk Lymphoma
Ohta K, Tanada M, Sugawara Y, Teramoto N, Iguchi H. Usefulness of positron emission tomography (PET)/contrast-enhanced computed tomography (CE-CT) in discriminating between malignant and benign intraductal papillary mucinous neoplasms (IPMNs). <i>Pancreatology</i> 17:911-919, 2017	Pancreatology
<u>Okazawa-Sakai M, Yokoyama T, Fujimoto E, Okame S, Shiroyama Y, Takehara K</u> <u>Long-term outcomes of postoperative taxane/platinum chemotherapy for early stage cervical cancer: a retrospective study. Int J Clin Oncol.</u> 2018 Feb 14. doi: 10.1007/s10147-018-1249-8. [Epub ahead of print]	Int J Clin Oncol.
石井 浩、浅木 彰則、畔元 信明、西出 憲史、西川 萌美、灘野 成人、筒井 陽子 切除不能・再発膀胱癌に対する化学療法 消化器の臨床 Vol.20 No.3 2017 P211	消化器の臨床
1. Koji Matsuo, Muneaki Shimada, Tsuyoshi Saito, Kazuhiro Takehara,, Hideki Tokunaga, Yoh Watanabe, Hidenori Kato, Kenichiro Morishige, Mikio Mikami, Toru Sugiyama, Risk stratification models for peri-aortic lymph node metastasis and recurrence in stage IB-IIIB cervical cancer. <i>J Gynecol Oncol.</i> 2018 Jan;29(1):e11. doi: 10.3082/jgo.2018.29.e11.	J Gynecol Oncol.
Atsuki Matsuyama, Yoshiteru Akezaki, Yoko Tsuji. The effect of outpatient rehabilitation with the purpose of improving physical function in regard to breast cancer patients. <i>Japanese Journal of occupational medicine and traumatology</i> ,2017; 65:125-131.	Japanese Journal of occupational medicine and traumatology
Azemoto N,Kumagi T,Koizumi M,Kuroda T,Yamanishi H,Ohno Y,Imamura Y,Takeshita E,Soga Y,Ikeda Y,Onji M,Hiasa Y.Diagnostic Challenge in Pancreatic Sarcoidosis using Endoscopic Ultrasonography. <i>Intern Med</i> 2018;57:231-235	Intern Med
Bando H, Shimodaira H, Fujitani K, Takashima A, Yamaguchi K, Nakayama N, Takahashi T, Oki E, Azuma M, Nishina T, Hironaka S, Komatsu Y, Shitara K.A phase II study of nab-paclitaxel in combination with ramucirumab in patients with previously treated advanced gastric cancer. <i>Eur J Cancer</i> 2018;91:86-91	Eur J Cancer.
Doi T,Yamaguchi K,Komatsu Y,Muro K,Nishina T,Nakajima TE,Tang R,Yang H,Zhang Y,Jung AS,Ang A,Yasui H.A Phase 1/1b tolerability study of rilotumumab alone or in combination with cisplatin and capecitabine in Japanese patients with gastric cancer.Jpn J Clin Oncol2017 ; 47 :1002-1009	Jpn J Clin Oncol
Hamada C, Okusaka T, Ikari T, Isayama H, Furuse J, Ishii H, Nakai Y, Imai S, Okamura S.Efficacy and safety of gemcitabine plus S-1 in pancreatic cancer: a pooled analysis of individual patient data. <i>British Journal of Cancer</i> 2017; 116:1544-1550	British Journal of Cancer
Hida T, Nokihara H, Kondo M, Kim YH, Azuma K, Seto T, Takiguchi Y, Nishio M, Yoshioka H, Imamura F, Hotta K, Watanabe S, Goto K, Satouchi M, Kozuki T, Shukuya T, Nakagawa K, Mitsudomi T, Yamamoto N, Asakawa T, Asabe R, Tanaka T, Tamura T.Alectinib versus crizotinib in patients with ALK-positive non-small-cell lung cancer (J-ALEX): an open-label, randomised phase 3 trial. <i>Lancet.</i> 2017;390(10089):29-39.	Lancet.
Hiyioka S, Hosoda W, Matsuo K, Ueno M, Furukawa M, Yoshitomi H, Kobayashi N, Ikeda M, Ito T, Nakamori S, Ishii H, Kodama Y, Morizane C, Okusaka T, Yanagimoto H, Notohara K, Taguchi H, Kitano M, Yane K, Maguchi H, Tsuchiya Y, Komoto I, Tanaka H, Tsuji A, Hashigo S, Kawaguchi Y, Mine T, Kanno A, Murohisa G, Miyabe K, Takagi T, Matayoshi N, Yoshida T, Hara K, Imamura M, Furuse J, Yatabe Y, Mizuno N.Rb loss and KRAS mutation are predictors of the response to platinum-based chemotherapy in pancreatic neuroendocrine neoplasm with grade 3: A Japanese multicenter pancreatic NEN-G3 study.Clin Cancer Res 2017; 23: 4625-4632	Clin Cancer Res

Hiroaki Itamochi, Tetsuro Oishi, Nao Oumi, Takayuki Enomoto, Mikio Mikami, Nobuo Yaegashi, Yasuhisa Terao, Kazuhiro Takehara, Kimio Ushijima, Michio Watari, Daisuke Aoki, Tadashi Kimura, Toshiaki Nakamura, Ryoji Yokoyama, Junzo Kigawa, Toru Sugiyama, Whole-genome sequencing revealed novel prognostic biomarkers and promising targets for therapy of ovarian clear cell carcinoma, British Journal of Cancer, 2017;117(5) : 717–724	British Journal of Cancer
Hotta K, Aoe K, Kozuki T, Ohashi K, Ninomiya K, Ichihara E, Kubo T, Ninomiya T, Chikamori K, Harada D, Nogami N, Hirata T, Hinotsu S, Toyooka S, Kiura K.A Phase II Study of Trastuzumab Emtansine in HER2-Positive Non-Small Cell Lung Cancer.J Thorac Oncol.2018 ;13(2):273–279.	J Thorac Oncol.
Ikeda M, Shimizu S, Sato T, Morimoto M, Kojima Y, Inaba Y, Hagihara A, Kudo M, Nakamori S, Kaneko S, Sugimoto R, Tahara T, Ohmura T, Yasui K, Sato K, Ishii H, Furuse J, Okusaka T. Reply to the letter to the editor 'Sorafenib plus Hepatic Arterial Infusion Chemotherapy with Cisplatin vs. Sorafenib for Advanced Hepatocellular Carcinoma: Randomized Phase II Trial' by Fornaro et al.Ann Oncol 2017; 28:2698–2706	Ann Oncol
Iwae S., Monden N, 「Matched-pair analysis of patients with advanced hypopharyngeal cancer: surgery versus concomitant chemoradiotherapy.」 International J of clinical oncology 2017 Dec;22(6):1001–1008	Int J Clin Oncol
Iwamuro M.Takenaka R.Nakagawa M.Moritou Y.Saito S.Hori S.Inaba T.Kawai Y.Toyokawa T.Tanaka T.Yoshino T.Okada H.Management of gastric mucosa-associated lymphoid tissue lymphoma in patients with extra copies of the MALT1 gene.World J Gastroenterol2017;23:6155–6163	World J Gastroenterol
Jingu K,Niibe Y,Yamashita H,Katsui K,Matsumoto T,Nishina T,Terahara A.Re-irradiation for oligo-recurrence from esophageal cancer with radiotherapy history: a multi-institutional study.Radiat Oncol 2017;12:146	Radiat Oncol
Kawaguchi H, Masuda N, Nakayama T, Aogi K, Anan K, Ito Y, Ohtani S, Sato N, Saji S, Takano T, Tokunaga E, Nakamura S, Hasegawa Y, Hattori M, Fujisawa T, Morita S, Yamaguchi M, Yamashita H, Yamashita T, Yamamoto Y, Yotsumoto D, Toi M, Ohno S. Factors associated with prolonged time to treatment failure with fulvestrant 500 mg in patients with post-menopausal estrogen receptor-positive advanced breast cancer: a sub-group analysis of the JBCRG-C06 Safari study. Curr Med Res Opin. 2017 ; 34 : 49–54	Curr Med Res Opin
Kawaguchi H, Masuda N, Nakayama T, Aogi K, Anan K, Ito Y, Ohtani S, Sato N, Saji S, Tokunaga E, Nakamura S, Hasegawa Y, Hattori M, Fujisawa T, Morita S, Yamaguchi M, Yamashita T, Yamamoto Y, Ohno S, Toi M. Outcomes of fulvestrant therapy among Japanese women with advanced breast cancer: a retrospective multicenter cohort study (JBCRG-C06; Safari). Breast Cancer Res Treat. 2017 ; 163 : 545–554	Breast Cancer Res Treat
Kosei Hasegawa, Masahiro Kagabu, Mika Mizuno, Katsutoshi Oda, Daisuke Aoki, Seiji Mabuchi, Shoji Kamiura, Satoshi Yamaguchi, Yoichi Aoki, Toshiaki Saito, Mayu Yunokawa, Kazuhiro Takehara, Aikou Okamoto, Kazunori Ochiai, Tadashi Kimura,Phase II basket trial of perifosine monotherapy for recurrent gynecologic cancer with or without PIK3CA mutations,Investigational New Drugs,2017;13:1–3	Investigational New Drugs
Kuboki Y, Nishina T, Shinozaki E, Yamazaki K, Shitara K, Okamoto W, Kajiwara T, Matsumoto T, Tsushima T, Mochizuki N, Nomura S, Doi T, Sato A, Ohtsu A, Yoshino T.TAS-102 plus bevacizumab for patients with metastatic colorectal cancer refractory to standard therapies (C-TASK FORCE): an investigator-initiated, open-label, single-arm, multicentre, phase 1/2 study.Lancet Oncol.2017 ;18:1172–1181	Lancet Oncol
Kudo M, Hatano E, Ohkawa S, Fujii H, Masumoto A, Furuse J, Wada Y, Ishii H, Obi S, Kaneko S, Kawazoe S, Yokosuka O, Ikeda M, Ukai K, Morita S, Tsuji A, Kudo T, Shimada M, Osaki Y, Tateishi R, Sugiyama G, Abada PB, Yang L, Okusaka T, Zhu AX.Ramucirumab as second-line treatment in patients with advanced hepatocellular carcinoma: Japanese subgroup analysis of the REACH trial. J Gastroenterol 2017; 52:494–503	J Gastroenterol

Kuyama S, Ochi N, Bessho A, Hotta K, Ikeda G, Kishino D, Kubo T, Harada D, Fujimoto N, Nakanishi M, Umeno T, Okada T, Chikamori K, Yamagishi T, Ohashi K, Ichihara E, Takigawa N, Tanimoto M, Kiura K.A phase II trial of carboplatin plus S-1 for elderly patients with advanced non-small-cell lung cancer with wild-type epidermal growth factor receptor: The Okayama Lung Cancer Study Group Trial 1202.Lung Cancer.2017;112:188–194.	Lung Cancer.
Maeda Y, Nishimori H, Yoshida I, Hiramatsu Y, Uno M, Masaki Y, Sunami K, Masunari T, Nawa Y, Yamane H, Gomyo H, Takahashi T, Yano T, Matsuo K, Ohshima K, Nakamura S, Yoshino T, Tanimoto M.Dose-adjusted EPOCH chemotherapy for untreated peripheral T-cell lymphomas: a multicenter phase II trial of West-JHOG PTCL0707.Haematologica. 2017 Dec;102(12):2097–2103.	Haematologica
Maki Tanioka, Satoshi Yamaguchi, Muneaki Shimada, Shoji Nagao, Kazuhiro Takehara, Masato Nishimura, Satoshi Morita, Shunichi Negoro, Kiyoshi Fujiwara, Junzo Kigawa,Cisplatin with dose-dense paclitaxel before and after radical hysterectomy for locally advanced cervical cancer: a prospective multicenter phase II trial with a dose-finding study,Medical Oncology,2017;34(8) :134	Medical Oncology
Makiyama A, Kunieda K, Noguchi M, Kajiwara T, Tamura T, Takeda K, Sugiyama J, Minashi K, Moriwaki T, Sugimoto N, Nagase M, Negoro Y, Tsuda T, Shimodaira H, Okano N, Tsuji A, Sakai D, Yanagihara K, Ueda S, Tamura S, Otsu S, Honda T, Matsushita Y, Okuno T, Kashiwada T, Nozaki A, Ebi M, Okuda H, Shimokawa M, Hironaka S, Hyodo I, Baba E, Boku N, Muro K, Esaki T.First-line chemotherapy with S-1 alone or S-1 plus cisplatin for elderly patients with advanced gastric cancer: a multicenter propensity score matched study.Gastric Cancer.2018[Epub ahead of print]	Gastric Cancer
Masuda N, Lee SJ, Ohtani S, Im YH, Lee ES, Yokota 1, Kuroi K, Im SA, Park BW, Kim SB, Yanagita Y, Ohno S, Takao S, Aogi K, Iwata H, Jeong J, Kim A, Park KH, Sasano H, Ohashi Y, Toi M. Adjuvant Capecitabine for Breast Cancer after Preoperative Chemotherapy. N Engl J Med. 2017 ; 376 : 2147–2159	N Engl J Med
Mitsuya Ishikawa, Takahiro Kasamatsu, Hitoshi Tsuda, Masaharu Fukunaga, Atsuhiko Sakamoto, Tsunehisa Kaku, Toru Nakanishi, Yoko Hasumi, Takashi Iwata, Tsukasa Baba, Takayoshi Nogawa, Wataru Kudaka, Hiroshi Kaneda, Shigemitsu Ono, Fumitaka Saitoo, Yoshimi Taniguchi, Satoshi Okada, Mika Mizuno, Takashi Onda, Nobuo Yaegashi. Prognostic factors and optimal therapy for stages I-II neuroendocrine carcinomas of the uterine cervix: A multi-center retrospective study. Gynecologic Oncology 148,139–146.2018.	Gynecologic Oncology
Moriwaki T, Fukuoka S, Taniguchi H, Takashima A, Kumekawa Y, Kajiwara T, Yamazaki K, Esaki T, Makiyama C, Denda T, Satake H, Suto T, Sugimoto N, Enomoto M, Ishikawa T, Kashiwada T, Sugiyama M, Komatsu Y, Okuyama H, Baba E, Sakai D, Watanabe T, Tamura T, Yamashita K, Gosho M, Shimada Y.Propensity Score Analysis of Regorafenib Versus Trifluridine/Tipiracil in Patients with Metastatic Colorectal Cancer Refractory to Standard Chemotherapy (REGOTAS): A Japanese Society for Cancer of the Colon and Rectum Multicenter Observational Study.Oncologist 2018;23:7–15	Oncologist
N.Nishijima, M.Kataoka, Y.Hamamoto, S.Turuoka, H.Kanzaki, K.Uwatsu, K.Nagasaki,T.Mochizuki, Incidence of pericardial effusion after chemoradiotherapy for thoracic esophageal cancer – Comparison of four-field technique and traditional two opposed field technique –	J Radiation Research

Nakanishi H, Doyama H, Ishikawa H, Uedo N, Gotoda T, Kato M, Nagao S, Nagami Y, Aoyagi H, Imagawa A, Kodaira J, Mitsui S, Kobayashi N, Muto M, Takatori H, Abe T, Tsujii M, Watari J, Ishiyama S, Oda I, Ono H, Kaneko K, Yokoi C, Ueo T, Uchita K, Matsumoto K, Kanesaka T, Morita Y, Katsuki S, Nishikawa J, Inamura K, Kinjo T, Yamamoto K, Yoshimura D, Araki H, Kashida H, Hosokawa A, Mori H, Yamashita H, Motohashi O, Kobayashi K, Hirayama M, Kobayashi H, Endo M, Yamano H, Murakami K, Koike T, Hirasawa K, Miyaoka Y, Hamamoto H, Hikichi T, Hanabata N, Shimoda R, Hori S, Sato T, Kodashima S, Okada H, Mannami T, Yamamoto S, Niwa Y, Yashima K, Tanabe S, Satoh H, Sasaki F, Yamazato T, Ikeda Y, Nishisaki H, Nakagawa M, Matsuda A, Tamura F, Nishiyama H, Arita K, Kawasaki K, Hopko K, Oka M, Ishihara S, Mukasa M, Minamino H, Yao K. Evaluation of an e-learning system for diagnosis of gastric lesions using magnifying narrow-band imaging: a multicenter randomized controlled study. <i>Endoscopy</i> . 2017;49:957–967.	Endoscopy
Nakata E, Sugihara S, Osumi S, Yamashita N. Risk stratification for predicting symptomatic skeletal events (SSEs) in breast cancer patients with bone metastases. <i>J Orthop Sci</i> . 2017 Jul;22(4):743–748.	J Orthop Sci
Nakata E, Sugihara S, Yamashita N, Osumi S. The incidence of atypical femoral fractures in breast cancer patients with bone metastases who received bisphosphonate treatment. <i>J Orthop Sci</i> . 2017 Sep;22(5):946–950.	J Orthop Sci
Ninomiya T, Nogami N, Kozuki T, Harada D, Kubo T, Ohashi K, Kuyama S, Kudo K, Bessho A, Fukamatsu N, Fujimoto N, Aoe K, Shibayama T, Sugimoto K, Takigawa N, Hotta K, Kiura K. A phase I trial of afatinib and bevacizumab in chemo-naïve patients with advanced non-small-cell lung cancer harboring EGFR mutations: Okayama Lung Cancer Study Group Trial 1404. <i>Lung Cancer</i> . 2018;115:103–108.	Lung Cancer.
Nozaki I, Mizusawa J, Kato K, Igaki H, Ito Y, Daiko H, Yano M, Udagawa H, Nakagawa S, Takagi M, Kitagawa Y. Impact of laparoscopy on the prevention of pulmonary complications after thoracoscopic esophagectomy using data from JCOG0502: a prospective multicenter study. <i>Surg Endosc</i> 2018;32:651–659	Surg Endosc.
Ohgami M, Bando H, Ishiguro H, Tsuda M, Toriguchi N, Aogi K, Toi M, Masuda N, Mitsuhashi S, Kurosawa A, Homma M. Effect of dose timing on the blood concentration of lapatinib in patients with breast cancer. <i>Ann Oncol</i> . 2017 ; 28 : 2888–2889	Ann Oncol
Okazawa-Sakai M, Mabuchi S, Isohashi F, Kawashima A, Yokoi E, Ogawa K, Kimura T. Predictors of distant relapse in patients with FIGO stage IIB–IVA cervical cancer treated with definitive radiotherapy. <i>J Obstet Gynaecol Res</i> . 2017;43(11):1743–1750	J Obstet Gynaecol Res.
Okuno K, Aoyama T, Oba K, Yokoyama N, Matsuhashi N, Kunieda K, Nishimura Y, Akamatsu H, Kobatake T, Morita S, Yoshikawa T, Sakamoto J, Saji S. Randomized phase III trial comparing surgery alone to UFT + PSK for stage II rectal cancer (JFMC38 trial). <i>Cancer Chemother Pharmacol</i> 2018;81:65–71	Cancer Chemother Pharmacol
Ramalingam SS, Yang JC, Lee CK, Kurata T, Kim DW, John T, Nogami N, Ohe Y, Mann H, Rukazenkova Y, Ghiorghiu S, Stetson D, Markovets A, Barrett JC, Thress KS, Jänne PA. Osimertinib As First-Line Treatment of EGFR Mutation-Positive Advanced Non-Small-Cell Lung Cancer. <i>J Clin Oncol</i> . 2018;36(9):841–849	J Clin Oncol.
Sakae H, Kanzaki H, Nasu J, Akimoto Y, Matsueda K, Yoshioka M, Nakagawa M, Hori S, Inoue M, Inaba T, Imagawa A, Takatani M, Takenaka R, Suzuki S, Fujiwara T, Okada H. The characteristics and outcomes of small bowel adenocarcinoma: a multicentre retrospective observational study. <i>Br J Cancer</i> 2017;117:1607–1613	Br J Cancer
Sasaki T, Ito Y, Ohue M, Kanemitsu Y, Kobatake T, Ito M, Moriya Y, Saito N. Postoperative Chemoradiotherapy After Local Resection for High-Risk T1 to T2 Low Rectal Cancer: Results of a Single-Arm, Multi-Institutional, Phase II Clinical Trial. <i>Dis Colon Rectum</i> . 2017;60:914–921	Dis Colon Rectum.

Sekine I, Harada H, Yamamoto N, Wakabayashi M, Murakami H, Goto K, Nogami N, Seto T, Oshita F, Okamoto H, Tanaka H, Tamura T, Ishikura S, Ohe Y. Randomized phase II trial of weekly dose-intensive chemotherapy or amrubicin plus cisplatin chemotherapy following induction chemoradiotherapy for limited-disease small cell lung cancer (JCOG1011). <i>Lung Cancer</i> . 2017;108:232–237.	Lung Cancer.
Shinozaki E, Yoshino T, Yamazaki K, Muro K, Yamaguchi K, Nishina T, Yuki S, Shitara K, Bando H, Mimaki S, Nakai C, Matsushima K, Suzuki Y, Akagi K, Yamanaka T, Nomura S, Fujii S, Esumi H, Sugiyama M, Nishida N, Mizokami M, Koh Y, Abe Y, Ohtsu A, Tsuchihara K. Clinical significance of BRAF non-V600E mutations on the therapeutic effects of anti-EGFR monoclonal antibody treatment in patients with pretreated metastatic colorectal cancer: the Biomarker Research for anti-EGFR monoclonal Antibodies by Comprehensive Cancer genomics (BREAC) study. <i>Br J Cancer</i> 2017;117:1450–1458	Br J Cancer
Shitara K, Kadowaki S, Nishina T, Sakai D, Yoshikawa R, Piao Y, Ozeki A, Inoue K, Gritli I, Muro K. Safety, pharmacokinetic, and clinical activity profiles of ramucirumab in combination with three platinum/fluoropyrimidine doublets in Japanese patients with chemotherapy-naïve metastatic gastric/gastroesophageal junction cancer. <i>Gastric Cancer</i> 2018;21:106–113	Gastric Cancer
Shitara K, Takashima A, Fujitani K, Koeda K, Hara H, Nakayama N, Hironaka S, Nishikawa K, Makari Y, Amagai K, Ueda S, Yoshida K, Shimodaira H, Nishina T, Tsuda M, Kurokawa Y, Tamura T, Sasaki Y, Morita S, Koizumi W, Nab-paclitaxel versus solvent-based paclitaxel in patients with previously treated advanced gastric cancer (ABSOLUTE): an open-label, randomised, non-inferiority, phase 3 trial. <i>Lancet Gastroenterol Hepatol</i> 2017; 2:277–287	Lancet Gastroenterol Hepatol
Soichi Takiguchi1, Kazuko Inoue1, Kimihiko Matsusue , Masayuki Furukawa , Norihiro Teramoto and Haruo Iguchi ; Crizotinib, a MET inhibitor, prevents peritoneal dissemination in pancreatic cancer , <i>International journal of oncology</i> , 2017	International journal of oncology
Soria JC, Ohe Y, Vansteenkiste J, Reungwetwattana T, Chewaskulyong B, Lee KH, Dechaphunkul A, Imamura F, Nogami N, Kurata T, Okamoto I, Zhou C, Cho BC, Cheng Y, Cho EK, Voon PJ, Planchard D, Su WC, Gray JE, Lee SM, Hodge R, Marotti M, Rukazhenkov Y, Ramalingam SS; FLAURA Investigators. Osimertinib in Untreated EGFR-Mutated Advanced Non-Small-Cell Lung Cancer. <i>N Engl J Med</i> . 2018; 378(2):113–125	N Engl J Med.
T. Kodaira, Y. Kagami, T. Shibata, N. Shikama, Y. Nishimura, S. Ishikura, K. Nakamura, Y. Saito, Y. Matsumoto, T. Teshima, Y. Ito, T. Akimoto, K. Nakata, T. Toshiyasu, K. Nakagawa, Y. Nagata, T. Nishimura, T. Uno, M. Kataoka, A. Yorozu and M. Hiraoka Results of a multi-institutional, randomized, non-inferiority, phase 3 trial of accelerated fractionation versus standard fractionation in radiation therapy for T1–2N0M0 glottic cancer: Japan Clinical Oncology Group study (JCOG0701)	Ann Oncolgy
Tadashi Matsuda, Yoshiteru Akezaki. Effects of aquatic walking exercise using a walker in a chronic stroke patient . <i>Journal of Physical Therapy Science</i> . 2017;29: 1268–1271.	Journal of Physical Therapy Science
Takahashi M, Tsuchiya M, Horio Y, Funazaki H, Aogi K, Miyauchi K, Arai Y. Job resignation after cancer diagnosis among working survivors in Japan: timing, reasons and change of information needs over time. <i>Jpn J Clin Oncol</i> . 2018 ; 48 : 43–51	Jpn J Clin Oncol
Tambo Y, Hosomi Y, Sakai H, Nogami N, Atagi S, Sasaki Y, Kato T, Takahashi T, Seto T, Maemondo M, Nohihara H, Koyama R, Nakagawa K, Kawaguchi T, Okamura Y, Nakamura O, Nishio M, Tamura T..Phase I/II study of docetaxel combined with resminostat, an oral hydroxamic acid HDAC inhibitor, for advanced non-small cell lung cancer in patients previously treated with platinum-based chemotherapy. <i>Invest New Drugs</i> .2017;35(2):217–226.	Invest New Drugs.
Tamiya A, Morimoto M, Fukuda S, Naoki Y, Ibe T, Okishio K, Goto H, Yoshii A, Kita T, Nogami N, Fujita Y, Atagi S.A phase I/II trial of pemetrexed plus radiotherapy in elderly patients with locally advanced non-small cell lung cancer. <i>Invest New Drugs</i> .2018 ; doi: 10.1007/s10637-018-0587-8. [Epub ahead of print]	Invest New Drugs.

Tamura K, Inoue K, Masuda N, Takao S, Kashiwaba M, Tokuda Y, Iwata H, Yamamoto N, Aogi K, Saeki T, Nakayama T, Sato N, Toyama T, Ishida T, Arioka H, Saito M, Ohno S, Yamauchi H, Yamada K, Watanabe J, Ishiguro H, Fujiwara Y. Randomized phase II study of nab-paclitaxel as first-line chemotherapy in patients with HER2-negative metastatic breast cancer. <i>Cancer Sci.</i> 2017 ; 108 : 987–994	Cancer Sci
Tamura T, Kiura K, Seto T, Nakagawa K, Maemondo M, Inoue A, Hida T, Yoshioka H, Harada M, Ohe Y, Nogami N, Murakami H, Kuriki H, Shimada T, Tanaka T, Takeuchi K, Nishio M.Three-Year Follow-Up of an Alectinib Phase I/II Study in ALK-Positive Non-Small-Cell Lung Cancer: AF-001JP. <i>Invest New Drugs.</i> 2017;35(2):217–226.	J Clin Oncol.
Tomoko Hirakawa, Takeo Minaguchi, Yoshio Itani, Yuka Kasamatsu, Saki Murase, Shoko Sakurada, Hiroaki Nagano, Kazuhiro Takehara, Tomohiko Tsuruta, Atsushi Arakawa, Kouichiro Kawano, Hiroshi Tsubamoto, Ushiwaka Takashi, Taisuke Mori, Kana Iwai, Motoaki Saito, Hiroyuki Morisawa, Fumitaka Saito, Kenta Yoshida, Masanori Kaneuchi, Hiroki Sato, Kimihiko Ito, Kaei Nasu, Current status of tertiary debulking surgery and prognosis after secondary debulking surgery for recurrent Müllerian epithelial cancer in Japan: A retrospective analysis of 164 patients (KCOG-G1402), <i>World Journal of Surgical Oncology</i> ,2017;15(1) :132	World Journal of Surgical Oncology
Ueno T, Saji S, Masuda N, Kuroi K, Sato N, Takei H, Yamamoto Y, Ohno S, Yamashita H, Hisamatsu K, Aogi K, Iwata H, Yamanaka T, Sasano H, Toi M. Impact of clinical response to neoadjuvant endocrine therapy on patient outcomes: a follow-up study of JFMC34-0601 multicentre prospective neoadjuvant endocrine trial. <i>ESMO Open.</i> 2018 ; 3 : e000314	ESMO Open
Yamaue H, Shimizu A, Hagiwara Y, Sho M, Yanagimoto H, Nakamori S, Ueno H, Ishii H, Kitano M, Sugimori K, Maguchi H, Ohkawa S, Imaoka H, Hashimoto D, Ueda K, Nebiki H, Nagakawa T, Isayama H, Yokota I, Ohashi Y, Shirasaka T. Multicenter, randomized, open-label Phase II study comparing S-1 alternate-day oral therapy with the standard daily regimen as a first-line treatment in patients with unresectable advanced pancreatic cancer. <i>Cancer Chemother Pharmacol</i> 2017;79:813–823	Cancer Chemother Pharmacol
Yoshida I.Treatment strategy for patients with Hodgkin lymphoma. <i>Rinsho Ketsueki.</i> 2017;58(10):1973–1982.	Rinsho Ketsueki
Yoshiteru Akezaki, Yoko Tsuji, Atsuki Matsuyama. Influence of muscle strength of the hemiparetic lower limb on independent stair ascent and descent with the use of an ankle foot orthosis in stroke patients. <i>Japanese Journal of occupational medicine and traumatology.</i> (In press)	Japanese Journal of occupational medicine and traumatology
Yoshiteru Akezaki, Yoko Tsuji, Atsuki Matsuyama. Relationship between walking speed necessary for road crossing and 6-minute walk distance in the stroke patients. <i>Japanese Journal of occupational medicine and traumatolog</i> ,2017 ; .65:166–169.	Japanese Journal of occupational medicine and traumatolog
Yoshiteru Akezaki, Yoko Tsuji, Atsuki Matsuyama. The physical function of stroke patients necessary for an independent gait with the use of an ankle foot orthosis. <i>Japanese Journal of occupational medicine and traumatolog</i> ,2017 ; 65:132–136.	Japanese Journal of occupational medicine and traumatolog
青儀健二郎. 第Ⅱ章レジメン別プロのコツ 1薬物療法⑫Gemcitabine単剤・Gemcitabine+Paclitaxel療法-忍容性は良好であるが、間質性肺炎に注意-. 乳がん薬物療法 副作用マネジメント プロのコツ・増田慎三 2017 : 365–368 メジカルビュー社、東京	乳がん薬物療法 副作用マネジメント プロのコツ
井上実穂. 家族の揺れ動く気持ちに寄り添うケア :エンドオブライフケア 2018;1(6):35–40	エンドオブライフケア
井上実穂.多領域における心理的アプローチの展開 ～がん領域の立場から～ :医療 2017;71:342–345	医療
岩屋眞理子、山本佳奈、菰田あすか、澤田佳枝、森ひろみ、中本珠世、胃がん術後の食生活への動機づけ ;中国四国地区国立病院機構・国立療養所研究学会誌2018;13巻;231–234	中国四国地区国立病院機構・国立療養所研究学会誌

大住省三. 遺伝性乳癌卵巣癌でのサーベイランス・リスク低減手術の実際. 乳癌の臨床 2018 ; 33 : 15-22	乳癌の臨床
大住省三. 産婦人科医に求められるHBOCの知識. 日本女性医学学会雑誌 2017 ; 24 : 260-263	日本女性医学学会雑誌
大西愛里紗、美濃部早紀、池田恵子、船上亜弥子、高橋さおり、青木清美、島田由美子、点滴化学療法を受ける患者の転倒予防への取り組み 患者の転倒予防への思いと行動について 中国四国地区国立病院機構・国立療養所研究学会誌2018;13巻; 243-246	中国四国地区国立病院機構・国立療養所研究学会誌
岡 愛子、牧原 靖一郎：扁桃周囲膿瘍のCT所見と臨床経過：日本気管食道学会会報：2017 : 68巻 p217-221	日本気管食道科学会会報
岡 愛子、門田 伸也、橋本 香里、花川 浩之：甲状腺葉剝切後甲状腺機能低下についての検討：耳鼻咽喉科臨床：2018 : 111巻 p61-65	耳鼻咽喉科臨床
岡本奈美、西村理恵子、佐藤正和、山本珠美、田中慎一、小島健太. ホルマリン固定乳癌細胞セルブロックを用いたホルモン受容体およびHER2検査における固定時間の検討. 日臨細胞誌2018; 57(2); 109-113	日臨細胞誌
菅雅代、平田早苗、高木泰代、岸田恵、村上直子、竹原和宏、婦人科外来がん患者の術後補助化学療法における脱毛に関する思いや不安と対処行動 中国四国地区国立病院機構・国立療養所研究学会誌2018;13巻; 227-230	中国四国地区国立病院機構・国立療養所研究学会誌
清藤佐知子、宮内一恵、池辺琴映、清水弥生、山下夏美、谷水正人. 癌患者および家族(パートナー)のセクシュアリティに関する医療者の認識と支援の実態. 日本緩和医療学会誌(Palliative Care Research) 2017 ; 12 : 739-746	日本緩和医療学会誌 (Palliative Care Research)
清水さおり、田村加奈子、有江啓二、超音波検査においてDICOM SRがもたらしたものの。愛媛臨床検査技師会誌 2017;36:81-84	愛媛臨床検査技師会誌
須賀みづき、白木里梨子、楠崎桜、片谷朝香、檜垣由美、青井恵、飯尾真奈美、玉田五十鈴、二交代制勤務導入に伴うA病棟看護師のワーク・ライフ・バランスの変化 安全で質の高い看護を提供するために 中国四国地区国立病院機構・国立療養所研究学会誌2018;13巻; 239-242	中国四国地区国立病院機構・国立療養所研究学会誌
綱島千春、河村進、時吉貴宏、人工物を用いた乳房再建後感染症例への対応 人工物を抜去しない救済処置で感染制御は可能か Oncoplastic Breast 2017;2巻(3) ; 71-77	Oncoplastic Breast
花川浩之、疾患と病態生理 組織球性壊死性頸部リンパ節炎 JOHNS 33巻(11)、; 1635-1638	JOHNS
原 文堅.【乳がんに対する新しい診断法や治療法】早期HER2陽性乳がんに対する抗HER2療法. 腫瘍内科 2017 ; 20 : 205-211	腫瘍内科
原 文堅.【乳がん薬物治療-明日の臨床を見据えて】乳がん薬物治療 臨床現場での実践のために トリプルネガティブ乳がんへの薬物治療. 臨床腫瘍プラクティス. 2017 ; 13 : 119-124	臨床腫瘍プラクティス
原 文堅.【乳癌学-最新の診断と治療-】乳癌の治療 乳癌の薬物療法と支持療法 乳癌の化学療法 転移・再発乳癌. 日本臨牀 2017 ; 75 : 367-372	日本臨牀
原 文堅. Breast and Endocrine Tumor 乳腺・内分泌腫瘍 発熱性好中球減少に対する支持療法 乳癌領域での現状と未来 進行再発乳癌におけるG-CSFの適応. 癌と化学療法 2017 ; 44 : 2082-2086	癌と化学療法
原 文堅. 乳癌 進行再発乳癌のホルモン治療におけるパラダイムシフト. CLINICIAN がん医療トピックス 2018 ; 65 : 42-47	CLINICIAN がん医療トピックス
原田大二郎、野上尚之:【肺癌治療の最前線】進行・再発肺癌の最新治療 非小細胞肺癌における血管新生阻害薬の役割. 日本国科学会雑誌;2017;106(6):108-1116.	日本内科学会雑誌

渡邊智子、山口彩夏、坂東史郎、上村直也、黒田和彦、吉田功、急性混合性白血病、T/骨髓形質(Mixed phenotype acute leukemia,T/myeloid,not otherwise specified;MPAL,T/myeloid)の一例、愛媛臨床検査技師会会誌、2018;37:65-70	愛媛臨床検査技師会会誌
伊澤直樹、竹下茂之、仁科智裕、View-point がん診療 「胃がん」Topics Q&A.Cancer Board Square2017 ;3:78-89	Cancer Board Square
横山 隆、藤本 悅子、横山 貴紀、坂井 美佳、大亀 真一、白山 裕子、竹原 和宏、片岡 正明.子宮頸癌ⅢB期の治療成績とCCRT例の再発リスク因子.現代産婦人科,2017;66(1):39-43	現代産婦人科
横山貴紀、大亀真一、友野勝幸、藤本悦子、坂井美佳、横山隆、竹原和宏、寺本典弘.術前化学療法が奏効しなかった漿液性癌の一例-低異型度漿液性癌-.In press)	.婦人科腫瘍学会誌
岡 愛子、牧原 靖一郎 扁桃周囲膿瘍のCT所見と臨床経過 2017;68:217-221	日本気管食道科学会会報
岡 愛子、門田 伸也、橋本 香里、花川 浩之 甲状腺葉峡切除後の甲状腺機能低下についての検討 耳鼻咽喉科臨床2018 111巻 61-65	耳鼻咽喉科臨床
河村進 四国でのリンパ浮腫診療の歴史と四国リンパ浮腫懇話会の取り組み報告:日本リンパ浮腫治療学会雑誌 2017第1巻第1号;p85-88	日本リンパ浮腫治療学会雑誌
花川浩之、門田伸也、橋本香里、岡愛子 甲状腺髓様癌の治療実態 ATAガイドラインとの比較 頭頸部外科2017、27巻(2)、235-239	頭頸部外科
梶原猛史、仁科智裕.特集 大腸癌化学療法の最新知見切除不能進行再発大腸癌に対する全身化学療法二次治療以降の選択—どの患者にどの治療を適応するか.消化器の臨床2017 ; 20:118-122	消化器の臨床
岸田恵. 事例からみるアピアランスケア 皮膚障害(色素沈着)に対し、プロセスに合わせて介入した事例. 臨床で活かす がん患者のアピアランスケ 南山堂. 2017: 232-235	臨床で活かす がん患者のアピアランスケ
岸田恵・橋田愛.「実践例から学ぶ がん薬物療法の曝露対策」・トイレの曝露対策について. がん看護. 2017年; 22巻7号:732-735	がん看護
宮内俊策、牧 佑歩、上野 剛、杉本龍士郎、山下素弘、高畠浩之. 肺癌術後にステープルラインに発生した炎症性腫瘍、非結核性抗酸菌症の2例. 日本呼吸器外科学会誌.2017;31:598-603	日本呼吸器外科学会誌
橋本 香里、門田 伸也、【頭頸部悪性腫瘍の疑問に答える】手術手技 喉頭全摘出術で腫瘍切除の際のマージンの取り方について教えてください 2018;88(5);296-300	耳鼻咽喉科・頭頸部外科
原 文堅. 第IV章がん関連症状や宿主状態別対応 ⑬腎障害・慢性透析患者における薬物療法の留意点と工夫 一正確な腎機能評価と腎排泄型薬剤の適切な減量が大切 一 乳がん薬物療法 副作用マネジメント プロのコツ・増田慎三 2017 : 365-368 メジカルレビュー社、東京	乳がん薬物療法 副作用マネジメント プロのコツ
原田大二郎、野上 尚之. シリーズ《呼吸器疾患 診断治療アプローチ》肺癌 4章 原発性肺癌治療の実際 3. 薬物療法 3)血管新生阻害剤 .2018 株式会社 中山書店 東京都文京区(In press)	呼吸器疾患 診断治療アプローチ3 肺癌
原田大二郎、野上 尚之. 肺癌診療Q&A 一つ上を行く診療の実践 第3版 .2017 株式会社 中外医学社 東京都新宿区(In press)	肺癌診療Q&A 一つ上を行く診療の実践
香川 昭博、則松 良明、寺本 典弘、前田 智治 7種の臨床材料を使用した液状化検体細胞診3方法における細胞所見の比較/66巻1号 Page60-67/2017.01	医学検査
高橋 優太、大田 耕司、棚田 稔、高畠 浩之. 脾臓原発血管周囲類上皮細胞腫瘍(PEComa)の1例. 日本外科系連合学会誌 2018; 43: 141-147	日本外科系連合学会誌

山本 将一朗, 野上 尚之. 【肺がんアップデート-基礎から最新トピックスまで-】肺がんにおける基本的な治療法 遺伝子異常(ドライバーがん遺伝子)を有さない非小細胞肺がんの治療戦略. 診断と治療.2017;105(11): 1419-1425.	診断と治療
寺本典弘 がん登録で見る愛媛のがん診療 クリエイトハラ 松山 2017 全258p ISBN: 978-4-902428-20-9	クリエイトハラ 松山
小西 晴久, 山本 弥寿子, 横山 貴紀, 藤本 悅子, 坂井 美佳, 大亀 真一, 白山 裕子, 佐藤 正和, 西村 理恵子, 寺本 典弘, 横山 隆, 竹原 和宏.漿液性子宮内膜上皮内癌と早期子宮体部漿液性腺癌 4症例の検討.産科と婦人科.2017;84(8) 999-1004	産科と婦人科
小西晴久, 山本弥寿子, 横山貴紀, 藤本悦子, 坂井美佳, 大亀真一, 白山裕子, 佐藤正和, 西村理恵子, 寺本典弘, 横山隆, 竹原和宏 漿液性子宮内膜上皮内癌と早期子宮体部漿液性腺癌 4症例の検討/84巻8号 Page999-1004/2017.08	産科と婦人科
小畠誉也, 落合亮二, 小林成行, 御厨美洋, 羽藤慎二, 大田耕司, 野崎功雄, 棚田稔, 高畠浩之, 栗田啓. 側方リンパ節転移を伴った9mm大の直腸neuroendocrine tumor G1 の1例. 日本消化器外科学会雑誌 2017;51:72-80	日本消化器外科学会雑誌
松岡直樹 横山貴紀 藤本悦子 坂井美佳 大亀真一 白山裕子 横山隆 竹原和宏:カルボプラチニン過敏反応例に対するシスプラチニン投与の安全性と治療効果.癌と化学療法. 第44巻 第13号 p2091-95 2017	癌と化学療法
松山厚樹, 明崎禎輝, 横井賀津志. 肩関節周囲炎患者に対する運動療法を併用した電気刺激療法の効果. 保健医療学雑誌,2017; 8:38-43.	保健医療学雑誌
仁科智裕,下痢、大腸炎への対応. がん免疫療法2017;1巻(7);96-99	がん免疫療法
仁科智裕,下痢、大腸炎への対応.がん免疫療法 Cancer Immunotherapy 2017 ;1:24-27	がん免疫療法 Cancer Immunotherapy
杉原 進介、似たもの画像、あいまい画像を一刀両断! 画像診断道場 実はこうだった [第61回] 股関節痛の原因は?(図説) 日本医事新報2017; 4858号 Page7-8	日本医事新報
杉原 進介、似たもの画像、あいまい画像を一刀両断! 画像診断道場 実はこうだった [第75回] 良性神経原性腫瘍?(図説) 日本医事新報 (0385-9215)4872号 Page5-6(2017.09)	日本医事新報
西村理恵子, 増田慎三, 山城勝重, 村田有也, 松井哲, 森清, 高橋将人, 青儀健二郎, 伊東正博, 前田茂人, 倉岡和矢, 尾崎慎治, 市原周, 佐藤康幸, 田口健一, 徳永えり子, 鈴木博義, 渡辺隆紀. 乳癌転移巣細胞診検体受容体検査の日常運用に関する多施設共同研究:ホルマリン固定細胞検体のアルギン酸ナトリウム法セルブロックによる標本作製の提案. 乳癌の臨床 2017; 32(3): 249-257	乳癌の臨床
大越 祐介, 山下 素弘, 上野 剛, 末久 弘, 澤田 茂樹, 寺本 典弘 閉塞性肺炎を来した気管支閉鎖症の一手法例/31巻2号 Page160-164/2017.03	日本呼吸器外科学会雑誌
大住省三, 清藤佐知子, 高橋三奈, 青儀健二郎, 杉本奈央, 金子景香. 遺伝性乳がん家系での乳がん検診の実施. 日本乳癌検診学会誌 2017 ; 26 : 154-158	日本乳癌検診学会誌
大住省三. 患者さんのための乳がん診療ガイドライン 2016年版-改訂の要点. これから乳癌診療2017-2018・福田護.池田正.佐伯俊昭.鹿間直人. 2017 : 123-129 金原出版、東京	これからの乳癌診療 2017-2018
大住省三. 乳癌以外の乳腺悪性腫瘍. 1336 専門家による私の治療 2017-2018年度版・堀進悟.今村聰.中西洋一.下川宏明.三浦綱一郎.下瀬川徹.鈴木洋通.水澤英洋.直江知樹.片山茂裕.宮坂信之. 2017 : 1478-1479 日本医事新報社、東京	1336 専門家による私の治療
只信 美紀 ,菅原 敬文,片岡 正明 ,高畠 敬之 ,小松 正明 ,竹原 和宏 ,高畠 浩之 ,寺本 典弘 子宮頸癌同時化学放射線療法後に発症し、診断に苦慮した腹膜悪性中皮腫の1例 /62巻6号 Page759-763/2017.06.10	臨床放射線

只信美紀, 菅原敬文, 片岡正明, 高畠敬之, 小松正明, 竹原和宏, 高畠浩之, 寺本典弘. 子宮頸癌同時化学放射線療法後に発症し, 診断に苦慮した腹膜悪性中皮腫の1例. 臨床放射線62:759-763, 2017	臨床放射線
竹原和宏,リスクを考慮した子宮体癌診療,日本産科婦人科学会雑誌,2017;69(7) : 1507-1512	日本産科婦人科学会雑誌
中田 英二, 杉原 進介, 菅原 敬文, 尾崎 敏文 脊椎転移の早期診断・早期治療による麻痺予防とRTの治療成績 整形外科最小侵襲手術ジャーナル (1342-3991)84号 Page29-41(2017.09)	整形外科最小侵襲手術ジャーナル
中田 英二, 杉原 進介, 尾崎 敏文 大腿骨近位部病的骨折の治療成績 中部日本整形外科災害外科学会雑誌 (0008-9443)60巻6号 Page1033-1034(2017.11)	中部日本整形外科災害外科学会雑誌
中田 英二, 杉原 進介, 尾崎 敏文 大腿骨頸部病的骨折に骨幹部の骨欠損を伴った3例 中部日本整形外科災害外科学会雑誌 (0008-9443)60巻1号 Page67-68(2017.01)	中部日本整形外科災害外科学会雑誌
中田 英二, 杉原 進介, 尾崎 敏文 麻痺の無い脊椎の骨関連事象(SRE)に対するRTの治療成績 整形外科と災害外科 (0037-1033)66巻4号 Page921-925(2017.09)	整形外科と災害外科
中田英二, 杉原進介, 菅原敬文, 尾崎敏文. 脊椎転移の早期診断・早期治療による麻痺予防とRTの治療成績. J MIOS 84:29-41, 2017	整形外科最小侵襲手術ジャーナル (J MIOS)
津田孝治, 松田恵, 田中宏明, 城戸輝仁, 望月輝一, 菅原敬文. 発見時点より以前の腹部CTに, 膵癌発見の手がかりとなる所見はあるか?. 臨床放射線 62:1151-1156, 2017	臨床放射線
徳永 伸子 ,徳増 明文 ,只信 美紀 ,菅原 敬文 ,大亀 真一, 小松 正明 ,竹原 和 宏 ,寺本 典弘 /卵巣serous borderline tumor-micropapillary variantの1例/2017/ 62巻7号 Page997-1000	臨床放射線
徳永伸子, 徳増明文, 只信美紀, 菅原敬文, 大亀真一, 小松正明, 竹原和宏, 寺本典弘. 卵巣serous borderline tumor-micropapillary variantの1例. 臨床放射線62:997-1000, 2017	臨床放射線
徳永伸子、徳増明文、只信美紀、菅原敬文、大亀真一、小松正明、竹原和宏、寺本典弘. 卵巣Serous borderline tumor – micropapillary variantの1例. 臨床放射線,2017;62(7) :997-1000	臨床放射線
徳増明文, 菅原敬文, 山本雄太, 細川浩平, 杉本龍士郎, 山下素弘, 西村理恵子. 低悪性度胎児型腺癌の1例. 臨床放射線62:1699-1702, 2017	臨床放射線
楠本真也、小西晴久、大亀真一、小松正明、白山裕子、(横山 隆)、竹原和宏,再々発卵巣癌に対する手術療法の検討,癌と化学療法 2017;43(3) :357-360	癌と化学療法
富永 律子, 明崎 穎輝, 菊内 祐人, 重見 篤史, 黒河 英彰, 中田 英二, 杉原 進介, 河村 進 続発性下肢リンパ浮腫患者に対する入院での複合的治療効果 日本フットケア学会雑誌 (2187-7505)15巻1号 Page12-15(2017.03)	日本フットケア学会雑誌
明崎 穎輝, 重見 篤史, 中田 英二, 富永 律子, 黒河 英彰, 菊内 祐人, 杉原 進介 進行期大腸がん患者における栄養状態とActivities of daily livingの関係 保健医療学雑誌 (2185-0399)8巻1号 Page6-10(2017.04)	保健医療学雑誌
明崎禎輝, 重見篤史, 中田英二, 富永律子, 黒河英彰, 菊内祐人, 杉原進介. 進行期大腸がん患者における栄養状態とActivities of daily livingの関係. 保健医療学雑誌,2017;8:6-10.	保健医療学雑誌
明崎禎輝, 中田英二, 富永律子, 黒河英彰, 菊内祐人, 濱田麻紀子, 魚谷弘二, 杉原進介. リハビリテーション介入における病的骨折リスクマネージメントの効果—病的骨折リスクの高い乳がん骨転移を伴った患者—. 2018;9:39-44	保健医療学雑誌

門田 伸也、【どこが変わった頭頸部がんTNM分類】甲状腺がん 耳鼻咽喉科・頭頸部外科2017;89巻(13)1092–1098	耳鼻咽喉科・頭頸部外科
門田 伸也、【頭頸部癌学-診断と治療の最新研究動向-】ガイドラインによる臓器別頭頸部癌の診断・治療 概論 甲状腺癌 2017;75(2):223–229	頭頸部癌学
友野勝幸、横山貴紀、藤本悦子、坂井美佳、大亀真一、横山隆、竹原和宏.腹腔鏡下後腹膜腫瘍摘出術が診断の契機となった卵管癌の1例(In press)	現代産婦人科
Nishikawa K, Yamada Y, Ishido K, Gotoh M, Bando H, Sugimoto N, Nishina T, Amagai K, Chin K, Niwa Y, Tsuji A, Imamura H, Tsuda M, Yasui H, Fujii H, Yamaguchi K, Yasui H, Hironaka S, Shimada K, Miwa H, Hamada C, Hyodo I. Impact of progression type on overall survival in patients with advanced gastric cancer based on randomized phase III study of S-1 plus oxaliplatin versus S-1 plus cisplatin. Gastric Cancer. 2017 Jul;20(4):640–645	Gastric Cancer
Yamashita H, Jingu K, Niibe Y, Katsui K, Matsumoto T, Nishina T, Terahara A. Definitive salvage radiation therapy and chemoradiation therapy for lymph node oligo-recurrence of esophageal cancer: a Japanese multi-institutional study of 237 patients. Radiat Oncol. 2017 Feb;20(1):38	Radiat Oncol
Nibu KI, Hayashi R, Asakage T, Ojiri H, Kimata Y, Kodaira T, Nagao T, Nakashima T, Fujii T, Fujii H, Homma A, Matsuura K, Monden N, Beppu T, Hanai N, Kirita T, Kamei Y, Otsuki N, Kiyota N, Zenda S, Omura K, Omori K, Akimoto T, Kawabata K, Kishimoto S, Kitano H, Tohnai I, Nakatsuka T. Japanese Clinical Practice Guideline for Head and Neck Cancer. Auris Nasus Larynx. 2017 Aug;44(4):375–380	Auris Nasus Larynx
Tsuji Y, Akezaki Y, Mori K, Yuri Y, Katsumura H, Hara T, Usui Y, Fujino Y, Nomura T, Hirao F. Factors inducing falling in schizophrenia patients. J Phys Ther Sci. 2017 Mar;29(3):448–451	J Phys Ther Sci
Nagai H, Shimomura T, Takeuchi M, Hanada S, Komeno T, Sunami K, Hidaka M, Yano T, Kitano K, Yoshida I, Inoue N, Saito A, Horibe K, Motitani S, Ichihara S, Watanabe T, Sawamura M. Phase II study of intensified rituximab induction and maintenance for low grade B cell lymphoma. Leuk Lymphoma. 2017 Dec;58(12):2845–2851	Leuk Lymphoma
田中 真, 大住省三, 清藤佐知子, 高橋三奈, 青儀健二郎, 澤田茂樹, 山下素弘, 田村和朗, 秋澤叔香, 斎藤加代子, 杉本奈央, 金子景香. Li-Fraumeni症候群患者にサーべイランスとして施行したPET/CTで早期に肺癌を発見し手術し得た一例. 家族性腫瘍. 2017; 17: 22–25	家族性腫瘍